

ECOFIX PF

Main Description:

Concentrated Fixer for Pigment Dyed and Printed Fabrics.

Chemical Structure:

Ecological product based on isocyanates.

Technical Specification:

Appearance at 20-25°C

Milky White Liquid

pH Value at 20-25°C

Approx. 6.0-8.0

Properties:

- ECOFIX PF, due to its functional groups, accelerates the polymerization of the resins, achieving excellent washing fastnesses and a significant improvement in wet rubbing fastness.
- It doesn't modify the colors.
- It doesn't hydrolyse in printing or coating pastes.
- It has been formulated with environmentally friendly ingredients, making it a sustainable choice.
- It is safe for use in various textile applications, including those that come into contact with skin.

Application:

ECOFIX PF can be used from **3-5%** with ECOPRINT range, depending upon the final requirement, to improve the wet rubbing and wash fastness of pigments.

Storage:

The product is stable for 12 months, whenever it is kept in the original containers, well-closed and protected from weather inclemencies at a maximum temperature of 35 °C.



Information concerning the safety regulations can be taken from the Material Safety Data Sheet of this product. We reserve the right to modify the product and technical leaflet. Our department for applied technique is always at your service for further information and advice. Our technical advice and recommendations given verbally, in writing or by trials are believed to be correct. They are neither binding with regard to possible rights of third parties nor do they exempt you from your task of examining the suitability of our products for the intended use. We cannot accept any responsibility for application and processing methods which are beyond our control.