


ECOPURE CLEAR

Phthalate & PVC free printing base suitable for use as a transparent base or for coloring with pigments



Chemical Nature

Phthalate & PVC Free,
Oil Base



Ionic Nature

Non-Ionic



pH

$\approx 7 \pm 0.5$



Physical Appearance

Transparent Paste



Fabric Type

Cotton, PES, CO/PES
blend fabric



Squeegee

Shore: Medium 65



Mesh

Count: 43-120 T



Health & Safety

SDS available upon
request



Product Feature

- Offers an elastic and soft touching effect in textile printing.
- Provides excellent wash fastness which maintains print quality even after multiple washes and wears.
- Ensures strong bonding with the fabric, preventing peeling or cracking.
- Provides an even and consistent print surface for professional results.
- It is used to improve elasticity in plastisol inks.



Application

- Before use, please stir this product well. Do not use any additives that are not advised.
- If necessary, to reduce viscosity adding 1-3% Ecopure Thinner is recommended.
- Used as a base or can be mixed with 20% Ecosol inks.
- Once printed, crosslink at 150° -160 °C (3-2 Min).
- After use, the screen should be cleaned with the Ecopure Thinner.
- Allow 24 hrs. after heat curing before evaluation of the final prints.



Storage

- Stable for 12 months, whenever kept in the original containers at 25-35 °C



www.printexchemicals.com



info@printexchemicals.com



Information concerning the safety regulations can be taken from the Material Safety Data Sheet of this product. We reserve the right to modify the product and technical leaflet. Our department for applied technique is always at the service for further information and advice.