

Soft Highly Elastic White Paste Specially Developed For Polyester Fabric



Chemical Nature Acrylic Emulsion.



Ionic Nature Anionic



Viscosity

45000-50000 m-Pas (NDJ-5S), Sp L4 at 12rpm at 20-25°C





Physical Appearance Clear Transparent Paste



Fabric Type PES & Cotton Fabric



Squeegee **Shore**: 65-75



Mesh

Count: 43-62 T



Health & Safety SDS available upon request



Product Features

- It has been designed for high-quality textile printing, especially for polyester knitted fabric.
- It has a soft and glossy touch.
- It forms a strong unbroken film that blocks disperse dyes effect on printed areas after curing.
- Good fastness, Soft to the touch.
- It has a high color yield, is easy to use, and is suitable for hand printing.
- It is suitable to the ecological standards.



Application

- For the best result, please print at a moisture condition of 50-80% and note the impact of temperature on operability.
- It has been manufactured for elastic and proper surface printings.
- It can be colored with 30-50 g/kg of ECOMIN pigment range.
- Once printed, crosslink at 120°C (1.5-2 Min).
- Heat Press at 120°C (10 Sec), if required.



Storage

Stable for 12 months, whenever kept in the original containers at 25-35 °C.





www.printexchemicals.com



info@printexchemicals.com



Information concerning the safety regulations can be taken from the Material Safety Data Sheet of this product. We reserve the right to modify the product and technical leaflet. Our department for applied technique is always at the service for further information and advice.

Page: 1 of 1 **Date of Compilation:** AUG-2023 Date of Revision: MAR-2024 Version: 2